


TR**NDS**
in WOOD
trendsⁱⁿwood.com





CARVED COTTAGE

Lodge



Hillside Oak
TIWCROAK1257COTL



Prairie View Oak
TIWCROAK1257PUEL



Chestnut Oak
TIWCROAK1257LASP



Lodge Hickory
TIWCRHIC1257LITL

ENGINEERED
Construction 

WIRE BRUSHED
Surface 

RANDOM WIDTH
1/2" THICKNESS
Random lengths up to 5' 

28.66
SF per Carton 

SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	No
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes

EXOTIC ALLURE ACACIA




Blonde Handscraped
TIWLAR050EBEHS



Blonde Smooth
TIWLAR050EBE

ENGINEERED
Construction 

SMOOTH OR HANDSCRAPED
Surface 

5" WIDTH
1/2" THICKNESS
Random lengths up to 4' 

32.56
SF per Carton 

SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	Yes
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes

PIONEER BIRCH



Trail
TIWLB3850TVMPKD



Musket
TIWHB385URBKD

ENGINEERED
Construction 

WIRE BRUSHED
Surface 

5" WIDTH
3/8" THICKNESS
Random lengths up to 5' 

32.81
SF per Carton 

SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	No
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes



SUMMERSIDE WHITE OAK

Newport



Biltmore
TIWT61BLT



Green Briar
TIWT62GBR



Bunker Hill
TIWT63BKH



Port Royal
TIWT64PRR



Woodstone
TIWT67WDT



Newport
TIWT66NWP

ENGINEERED
Construction



WIRE BRUSHED
Surface



6 1/2" WIDTH
1/2" THICKNESS
Random lengths up to 4'



25.58

SF per Carton



SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	Yes
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes

TRNDS
in WOOD
trendsinwood.com





ISLE OF PALMS ACACIA

Corn Silk




Brushwood
TIWLAR050BRW



Corn Silk
TIWLAR050CRS

ENGINEERED
Construction 

HANDSCRAPED
Surface 

5" WIDTH
3/8" THICKNESS
Random lengths up to 4' 

33.09
SF per Carton 

SPECS

Residential Warranty	15 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	Yes
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes



WESTFIELD HICKORY

Newark



Newark
TIWHH3865GENKD



Natural
TIWHH3865NATKD



Sand
TIWHH3865PEOKD



Trenton
TIWHH3865YORKD

ENGINEERED
Construction



WIRE BRUSHED
Surface



6 1/2" WIDTH
3/8" THICKNESS
Random lengths up to 6'



32.49
SF per Carton



SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION


Locking System	T&G
Concrete Subfloor	No
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes



ACACIA



Blonde
TIWHSUN358BE

SOLID 
Construction

SMOOTH 
Surface

3 5/8" WIDTH
3/4" THICKNESS 
Random lengths up to 4'

21.09 
SF per Carton

SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	9
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	No
Wood Subfloor	Yes
Floating	No
Glue Down	No
Nail Down	Yes

HALSTON HICKORY



Khaki
TIWJES235HKK



Whiskey Barrel
TIWJES235HWB

SOLID 
Construction

HANDSCRAPED 
Surface

RANDOM WIDTH
3/4" THICKNESS 
Random lengths up to 5'

25.68 
SF per Carton

SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	No
Wood Subfloor	Yes
Floating	No
Glue Down	No
Nail Down	Yes



KEY WEST

Anna Maria



Amelia White Oak
TIWCOA75AMEO



Anna Maria White Oak
TIWCOA75ANNO



Captiva Maple
TIWCOA75CAPM



Clearwater White Oak
TIWCOA75CLEO



Santa Rosa White Oak
TIWCOA75SANO



Sarasota White Oak
TIWCOA75SARO

ENGINEERED 
Construction

SMOOTH 
Surface

7 1/2" WIDTH
3/8" THICKNESS 
Random lengths up to 6' 2"

31.09 
SF per Carton

SPECS

Residential Warranty	Limited Lifetime
Finish Type	Aluminum Oxide
Finish Coats	5
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	Yes
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes



WINSTON HICKORY

Natural




Caramel
TIWLAR94500



Natural
TIWLAR94552

ENGINEERED
Construction 

HANDSCRAPED
Surface 

5" WIDTH
3/8" THICKNESS
Random lengths up to 4' 

33.35
SF per Carton 

SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	Yes
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes



HARBOR HICKORY

Breakwater



Breakwater
TIWYTC726EKW



River Landing
TIWYTC725ERL

ENGINEERED
Construction 

WIRE BRUSHED
Surface 

7 1/2" WIDTH
9/16" THICKNESS
Random lengths up to 6' 2" 

30.92
SF per Carton 

SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	Yes
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes



TREASURE CAY OAK

Harbor Island



Harbor Island
TIWLAR732EHD




Silver Cove
TIWLAR727EVC



Turtle Bay
TIWLAR728ETB

ENGINEERED
Construction 

WIRE BRUSHED
Surface 

7 1/2" WIDTH
9/16" THICKNESS
Random lengths up to 6' 2" 

23.31
SF per Carton 

SPECS

Residential Warranty	25 Year
Finish Type	Polyurethane
Finish Coats	7
Aluminum Oxide	Yes
UV Cured	Yes

INSTALLATION INFORMATION

Locking System	T&G
Concrete Subfloor	Yes
Wood Subfloor	Yes
Floating	Yes
Glue Down	Yes
Nail Down	Yes



TRENDS
in WOOD

trendsinfo.com